



# Ceiling Tiles Technical Data Sheet

(NZ) 06 842 0004  
(AU) 1800 958 382  
sales@featurecraft.com  
featurecraft.com  
@featurecraft\_



## Product Details

Ceiling Grid System Compatibility (WxL)	600mm x 600mm, 600mm x 1200mm
Design Options	Flat, Stepped, Flush
Tile Dimensions (WxL)	Flat: 576 x 576mm or 576 x 1176mm
	Stepped: 575 x 575mm or 575 x 1175mm
	Flush: 595 x 595mm or 595 x 1195mm
Tile Thickness	12mm
Substrate Options	FR MDF or FR Plywood
Finishes	Veneer, HPL / Melamine, Stain
Perforation Options	Perforations (Holes and Slots) can be applied to all variations
Pre-finished or Unfinished	Pre-finished

## Application and Installation

Applications	Interior Ceiling Grids
Installation Methods	We recommend using a black ceiling grid system to achieve black exposed lines in between ceiling tiles

## Warranty


Product Warranty	5 Years
------------------	---------

## Ratings


Fire Rating	Group 1S achieved without intumescent (without perforations) Group 2 with perforations (we can factory apply intumescent after boxes have been perforated to bring the boxes back up to a Group 1S)
-------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Ceiling Tiles Profile Options


### Square



Flat




Stepped




Flush


### Rectangle



Flat



Stepped



Flush

## Environmental

Green Building Rating Compliance	View EnviroSpec Summary Sheet on the pages following
Sustainability Options (On enquiry)	FSC® Chain of Custody PEFC™ Certification





## FSC® and PEFC™

Featurecraft carries Chain of Custody (CoC) certification that enables us to sell Timber, MDF, Plywood and Timber Veneer that carries either FSC® certification or PEFC™ certification.

FSC® certified timber and PEFC™ certified timber undergo independent, third-party audited certification procedures at every step of the supply chain. This provides designers, specifiers, architects, and consumers absolute assurance that those forest and wood products labelled as FSC® certified or PEFC™ certified originate from responsible sources, which are managed to be prescribed social, economic, and environmental standards.

[View FSC® and PEFC™ certificates at the Downloads tab on our website.](#)

## EnviroSpec

Our focus is to make Green compliance as easy as possible for Architects & Designers so we partnered with an independent Consultancy Company (EnviroSpec) who carried out a detailed analysis of our products & created our very own [Green Building Summary Sheets](#).

These sheets are ideal for Architects & Designers working on Greenstar & Homestar projects as it very clearly sets out the Green rating tool, credit category, requirements, details of compliance & the points that can be claimed when specifying Featurecraft products on both Greenstar & Homestar projects in Australia & New Zealand.

View EnviroSpec Summary sheet on the pages following.



Featurecraft Solid Timber Battens are a natural product and has knots and blemishes in the timber. There will be different colour & grain variations from batch to batch. All timber needs to be handled with care and by qualified tradesmen. Battens need to be stored inside, out of sunlight, off the ground, in a dry moisture free environment and flat, well supported and totally free of moisture with a cover sheet on the top for protection. Featurecraft take no responsibility for bowed battens due to incorrect storage and moisture ingress. Featurecraft needs to be advised of any complaints within 3 days of received the goods, any complaints received after 3 days will be void. Installation of Featurecraft Solid Timber Battens must be carried out as per instructions listed on the Featurecraft Installation Guide. Featurecraft cannot be held accountable for alternative installation methods, as doing so will void the product warranty.

**Featurecraft**  
1 Heard Place, Longlands,  
Hastings 4175  
(NZ) 06 842 0004  
(AU) 1800 958 382

**featurecraft.com**  
sales@featurecraft.com  
@featurecraft\_

**masterspec**

